

Walker Bag

Fabric Main Bag A (about 1 yd)

Cut 2	$15 \frac{1}{2}" \times \underline{14 \frac{1}{2}"}$	Back	(Underlined side
Cut 2	$12" \times \underline{14 \frac{1}{2}"}$	Front	is the bottom of
Cut 2	$12" \times 6"$	Straps	bag)

Fabric Pockets B (about 1 yd or piece)

Cut 2	$8 \frac{1}{2}" \times \underline{16}"$	Back
Cut 2	$10 \frac{1}{2}" \times \underline{16}"$	Front



Batting

Cut 1	$15 \frac{1}{2}" \times \underline{14 \frac{1}{2}"}$	Back
Cut 1	$12" \times \underline{14 \frac{1}{2}"}$	Front
Cut 1	$8 \frac{1}{2}" \times \underline{16}"$	Pocket back
Cut 1	$10 \frac{1}{2}" \times \underline{16}"$	Pocket front
Cut 2	$11 \frac{1}{2}" \times \underline{3"} \left(2 \frac{3}{4}\right)$	Straps

2 Buttons

Step One: Straps 12" x 3"


Fold straps (A) in half lengthwise right sides out. Press open and fold each outside edge to center crease. Press. Open fabric and place strip of batting lengthwise aligning with outside edges to center; fold in half aligning edges. Turn top of strap under 1/4". Press. Topstitch 1/8" from the edges of both sides of straps and end of strap.



Step Two

Step Two: Back (A) 15 1/2" x 14 1/2"


Lay batting on table with one back piece on top - right side up. Lay straps on top (14 1/2" edge) finished edge down. Position straps 1 3/4" in from each edge. Sew layers together along 14 1/2" top edge. Set aside.



Step Three

Step Three: Pockets (B) 10 1/2" x 16"


Place pockets back and front right sides together on table and lay batting on top. Sew together along 16" side using 1/4" seam. Open, fold over and press. Topstitch. Mark center.



Step Four

Step Four:

Take back piece (step two). Mark center. Line up pocket and stitch onto back along marked center line. (I used a triple stitch). Match bottoms, pin sides together and pin bottom, creating a pleat on each side of bottom to take up extra fabric. Sew three sides.



Step Five: Front (A) 12" x 14 ½"

Take 12" x 14 ½" piece. Lay right side up on top of batting (same size and stitch together along 14 ½" side.

Step Six: Pocket 8 ½" x 16"

See steps 3 & 4.

Step Seven:

Lay front & back sections, right sides together, line up bottom and sides, pin and stitch together using 1/4" seam. (Top is Open).

Step Eight: Lining

Take back & front lining pieces, right sides together (same as in step seven), stitch around 3 sides with 1/4" seam leaving 8" opening at bottom.


Step Nine:

Turn pocket unit right side out and insert into lining unit (right sides together). Match edges, pin and sew around upper edges. Clip seams at corners.


Step Ten: Finishing

Turn right side out through bottom opening. Poke out corners. Stitch opening closed and tuck lining down into bag. Poke out corners. Smooth edges. Topstitch around edge of bag top. Make one buttonhole in each strap and sew buttons to front of bag.

Step Seven



Step Eight



Step Ten

